

**In the Claims:**

**Please amend Claim 1 as follows:**

I CLAIM:

1.

An annular protective disc for use with laser discs for insertion between  
said laser discs outside of a laser disc drive, wherein said protective disc is  
substantially the same diameter as a laser disc, said protective disc having  
a radially innermost and radially outermost portion coextensive with the  
surface of a laser disc, comprising:

compressed cotton Pelon, fabric material coextensive with the diameter  
of said protective disc, having a centrally disposed aperture  
adapted to receive the spindles of laser disc cases, storage files,  
spindle containers and carrying cases, said aperture similar to the  
size of the aperture in a laser disc.

In the Claims:

**1. (Amended)**

An annular protective disc for use with laser discs and enclosure discs for insertion between laser discs and enclosure discs outside of a laser disc drive, wherein said protective disc is substantially the same diameter as a laser disc and enclosure disc, said protective disc having a radially innermost and radially outermost portion coextensive with the diameter of a laser disc and enclosure disc, comprising:

compressed cotton fabric material coextensive with the diameter of said protective disc, having a centrally disposed aperture adapted to receive the spindle containers and storage cases, said aperture similar to the size of the aperture in a laser disc.

**In the Claims:**

**Please amend Claim 2, as follows:**

2. An annular protective enclosure disc for use with laser discs  
inside and outside of a laser disc drive, wherein said enclosure disc is  
slightly larger than the diameter of a laser disc, said enclosure disc  
having a radially innermost and radially outermost portion in a  
concentric relationship therewith, said  
radially outermost portion coextensive with the blank or recorded  
portion of a laser disc comprising:  
annular clear plastic material coextensive with the  
diameter of said protective disc, having a centrally  
disposed aperture larger than the aperture  
in a laser disc, and  
a beveled outside edge slightly larger than the  
circumference of a laser disc adapted to  
grip and hold the outer circumference of a laser  
disc in a tight juxtaposition relationship, to prevent  
lateral or longitudinal displacement.

In the Claims:

**2. (Amended)**


An annular protective enclosure disc assembly for use with laser discs inside and outside of a laser disc drive. Said disc is used outside of a laser disc drive with the cotton protective disc to prevent surface scratches on the enclosure disc, wherein said enclosure disc is slightly larger than the diameter of a laser disc, said enclosure disc having a radially innermost and radially outermost portion in a concentric relationship therewith, said radially outermost portion coextensive with the blank or recorded portion of a laser disc and the cotton protective disc, comprising:  
annular clear plastic material coextensive with the diameter of said protective disc, having a centrally disposed aperture larger than the aperture in a laser disc, and a beveled outside edge slightly larger than the circumference of a laser disc adapted to grip and hold the outer circumference of a laser disc in a tight juxtaposition relationship, to prevent lateral or longitudinal displacement.

The Abstract; Summary; Detailed Description of the Invention

and Claims 1 and 2 have been amended. Claims 1-5 remain in this application.

Dated: December 28, 2002

Respectfully submitted,



Thomas Paul Downs

P.O. Box 3191  
Beverly Hills, CA 90212

(310) 397 2032

\*\*\*\*\* (8) \*\*\*\*\*